



MCON RASAYAN PVT. LTD.

Trusted Partners In Construction Chemicals



MCON READY PLASTER

READY TO USE CEMENT SAND WATER
PROOF PLASTER

Product Description :-

MCON Ready Plaster is a ready mix plaster reinforced with Fiber, ready to use plastering mortar for internal & external plastering purpose. It is convenient, easy to use, Strong and binds better to its substrate. This product is composed of good quality cement, properly selected river sand, fibers & additives. Its well graded sand aggregates which are clean and silt free ensure that the plaster has a very cohesive and smooth finish. The waterproofing and bonding polymers give the plaster a better bonding with water tight characteristics. MCON Ready Plaster reduces material wastage due to less rebound of the material. It reduces the drying and shrinkage cracks.





MCON RASAYAN PVT. LTD.

Trusted Partners In Construction Chemicals

Areas of Application :-

- ✓ Plastering on block work, brick work and concrete substrates in new construction.
- ✓ External and Internal plastering application for repair and rehabilitation works.



Features & Benefits :-

- ✓ Crack free & firm surface that preserves beauty of building for longer time.
- ✓ Factory made product with consistent quality. Very less rebound loss.
- ✓ Excellent waterproofing characteristics
- ✓ Ready to use, only clean water to be added at site.
- ✓ Better bond than conventional cement based mortar
- ✓ Improved labour productivity hence reduces costs
- ✓ Moisture resistant - Offers excellent resistance to moisture ingress.
- ✓ Good mechanical strength
- ✓ Sufficiently flexible to accommodate thermal & physical movements.



MCON RASAYAN PVT. LTD.

Trusted Partners In Construction Chemicals

Method Of Application :-

Clean the substrate , free from all loose particle, oil & grease, paints or free sand. Water jet cleaning is advisable.

Wet the surface before application of the plaster.

Mix one bag of 40 kg of Mcon Ready Plaster with 7 to 8 ltr of water using a mechanical mixer.

Small quantity can be mixed using a trowels and a bucket. All care should be taken that the mixing is done thoroughly.

Use the mixture within 1 ¼ hrs (75 min) after addition of water.

Curing of the plastered surface can be done after 10 – 12 hrs and should be done for 6 – 7 days.

Technical Specification :-

Binder	Grey Portland Cement 53 grade
Density	Dry Mix - 1.6 kg/ltr Wet Mix – 1.8 kg/ltr (mixed with water)
Water Intake	150 – 200 ml per kg (approx 8 Liters in a bag of 40 kg)
Pot Life	75 Minutes
Thickness	15 – 16 mm per single coat



MCON RASAYAN PVT. LTD.

Trusted Partners In Construction Chemicals


Coverage :-

18 – 20 sq. ft per 40 kg bag at 15 – 16 mm thickness.



Storage and Shelf life :-

6 months from manufacture in original unopened bags if stored in dry conditions.



Safety Precautions :-

MCON READY PLASTER is a cementitious alkaline product. Care should be taken to avoid contact with eyes, skin, mouth and food stuff. Any splashes on the human body must be washed with plenty of water.






MCON RASAYAN PVT. LTD.

Trusted Partners In Construction Chemicals

Packaging :-

40 kgs in moisture-resistant bags.



**(Mcon Rasayan has maintained the highest level of Quality and Consistency by following Systems and is certified as an ISO 9001 : 2015, ISO 14001:2015 & ISO 18001:2015 Company.)*

Address : Gala No.6, Bardanwala Estate, Bandivali Hill Road, Jogeswari (W), Mumbai - 400102

Call us : +91 8657448832 / 022- 26790031

Email id : salesmcon16@gmail.com

Website : www.mconrasayan.com / www.mconrasayan.net

Follow us on :    